



RIDGE- LUXURY VINYL PLANK





| ITEM NAME | RIDGE |
|----------------------------|--|
| Total thickness | 2.0mm |
| Wear layer thickness | 0.15mm |
| Weight | 3.9-4.0kg/m ² |
| Size | 228.6mm x 1219.2mm |
| Piece per box | 16 pcs |
| Resistance to fire | NFPA Class B1-S1 |
| Slip resistance | R9 |
| Dimension Stability | Shrinkage < = 0.002%, Curing < = 0.2 mm |
| Residual indentation | Mean value 0.01 mm |
| Color fastness to light | ≥6 |
| Resistance to chemicals | Class 0 |
| Peeling strength of layers | Pass |
| Bearing a castor chair | Pass |
| Toxic | Complies |





Panache™ RIDGE-LUXURY VINYL PLANK



| ITEM NAME | RIDGE |
|----------------------------|--|
| Total thickness | 2.0mm |
| Wear layer thickness | 0.15mm |
| Weight | 3.9-4.0kg/m ² |
| Size | 228.6mm x 1219.2mm |
| Piece per box | 16 pcs |
| Resistance to fire | NFPA Class B1-S1 |
| Slip resistance | R9 |
| Dimension Stability | Shrinkage < = 0.002%, Curing < = 0.2 mm |
| Residual indentation | Mean value 0.01 mm |
| Color fastness to light | ≥6 |
| Resistance to chemicals | Class 0 |
| Peeling strength of layers | Pass |
| Bearing a castor chair | Pass |
| Toxic | Complies |





Panache™ RIDGE-LUXURY VINYL PLANK



| ITEM NAME | RIDGE |
|----------------------------|--|
| Total thickness | 2.0mm |
| Wear layer thickness | 0.15mm |
| Weight | 3.9-4.0kg/m ² |
| Size | 228.6mm x 1219.2mm |
| Piece per box | 16 pcs |
| Resistance to fire | NFPA Class B1-S1 |
| Slip resistance | R9 |
| Dimension Stability | Shrinkage < = 0.002%, Curing < = 0.2 mm |
| Residual indentation | Mean value 0.01 mm |
| Color fastness to light | ≥6 |
| Resistance to chemicals | Class 0 |
| Peeling strength of layers | Pass |
| Bearing a castor chair | Pass |
| Toxic | Complies |





Panache™ RIDGE-LUXURY VINYL PLANK



| ITEM NAME | RIDGE |
|----------------------------|--|
| Total thickness | 2.0mm |
| Wear layer thickness | 0.15mm |
| Weight | 3.9-4.0kg/m ² |
| Size | 228.6mm x 1219.2mm |
| Piece per box | 16 pcs |
| Resistance to fire | NFPA Class B1-S1 |
| Slip resistance | R9 |
| Dimension Stability | Shrinkage < = 0.002%, Curing < = 0.2 mm |
| Residual indentation | Mean value 0.01 mm |
| Color fastness to light | ≥6 |
| Resistance to chemicals | Class 0 |
| Peeling strength of layers | Pass |
| Bearing a castor chair | Pass |
| Toxic | Complies |



20204



Panache MIDGE-LUXURY VINYL PLANK



| ITEM NAME | RIDGE |
|----------------------------|--|
| Total thickness | 2.0mm |
| Wear layer thickness | 0.15mm |
| Weight | 3.9-4.0kg/m ² |
| Size | 228.6mm x 1219.2mm |
| Piece per box | 16 pcs |
| Resistance to fire | NFPA Class B1-S1 |
| Slip resistance | R9 |
| Dimension Stability | Shrinkage < = 0.002%, Curing < = 0.2 mm |
| Residual indentation | Mean value 0.01 mm |
| Color fastness to light | ≥6 |
| Resistance to chemicals | Class 0 |
| Peeling strength of layers | Pass |
| Bearing a castor chair | Pass |
| Toxic | Complies |





Panache MIDGE-LUXURY VINYL PLANK



| ITEM NAME | RIDGE |
|----------------------------|--|
| Total thickness | 2.0mm |
| Wear layer thickness | 0.15mm |
| Weight | 3.9-4.0kg/m ² |
| Size | 228.6mm x 1219.2mm |
| Piece per box | 16 pcs |
| Resistance to fire | NFPA Class B1-S1 |
| Slip resistance | R9 |
| Dimension Stability | Shrinkage < = 0.002%, Curing < = 0.2 mm |
| Residual indentation | Mean value 0.01 mm |
| Color fastness to light | ≥6 |
| Resistance to chemicals | Class 0 |
| Peeling strength of layers | Pass |
| Bearing a castor chair | Pass |
| Toxic | Complies |



20206



RIDGE- LUXURY VINYL PLANK